


F-CONNECTORS

Cable Products, Drop Connectors

TaiTin

F56-x

- Standard Quantity: 100 pcs



Information

- Brass Tin Plating
- F56-1/4" with 1/4" Ring
- Inner Diameter: 5.8 mm (0.228 in.)
- Outer Diameter: 9.1 mm (0.358 in.)
- For use with RG6 Cable

F56CG

- Standard Quantity: 100 pcs



Information

- Brass Tin Plating
- Connector with Annealed Ring
- Inner Diameter: 9.40 mm (0.370 in.)
- Outer Diameter: 9.48 mm (0.373 in.)
- For use with RG6 Cable

F56CGA

- Standard Quantity: 100 pcs



Information

- F56 Smooth Circular Crimp
- Inner Diameter: 9.4 mm (0.370 in.)
- Outer Diameter: 9.48 mm (0.373 in.)
- For use with RG6 Cable

F56CGO

- Standard Quantity: 100 pcs




Information

- Brass Gold Cadmium Plating
- Connector with Annealed Ring
- Inner Diameter: 9.40 mm (0.370 in.)
- Outer Diameter: 9.48 mm (0.373 in.)
- For use with RG6 Cable

F59-

- Standard Quantity: 100 pcs

**Information**

- F59 Connector
- F59-1/4" with 1/4" Ring
- Inner Diameter: 4.55 mm (0.179 in.)
- Outer Diameter: 8.45 mm (0.333 in.)
- For use with RG59 Cable

F59CGA

- Standard Quantity: 100 pcs

**Information**

- Connector with Annealed Ring
- Inner Diameter: 8.65 mm (0.340 in.)
- Outer Diameter: 9.48 mm (0.373 in.)
- F59 Smooth Circular Crimp
- For use with RG59 Cable

F59CGO

- Standard Quantity: 100 pcs

**Information**

- Connector with Annealed Ring
- Added O-Ring for Waterproofing
- Inner Diameter: 8.65 mm (0.340 in.)
- Outer Diameter: 9.48 mm (0.373 in.)
- For use with RG59 Cable

F59PT

- Standard Quantity: 100 pcs

**Information**

- Female-Male Push on Adapter
- For use with RG59 Cable

F59P

- Standard Quantity: 100 pcs

**Information**

- Male Push on Adaptor
- For use with RG59 Cable

CF59-PS-39

- Standard Quantity: 100 pcs

**Information**

- Compression Connector
- Free Spinning Nut, 11 mm
- Standard Tool: Ripley, Cable Prep Sargent and Lemco Tools
- RG59 Series Compatible

CF59-PS-40


- Standard Quantity: 100 pcs

**Information**

- Compression Connector
- Free Spinning Nut, 11 mm
- Standard Tool: Ripley, Cable Prep Sargent and Lemco Tools
- RG59 Series Compatible

CF6-PS

- Standard Quantity: 100 pcs

**Information**

- Compression Connector
- Free Spinning Nut, 11 mm
- Standard Tool: Ripley, Cable Prep Sargent and Lemco Tools
- RG6 Series Compatible

CF6

- Standard Quantity: 100 pcs

**Information**

- Compression Connector
- Free Spinning Nut, 11 mm
- Standard Tool: Ripley, Cable Prep Sargent and Lemco Tools
- RG6 Series Compatible

FT75

- Standard Quantity: 100 pcs

**Information**

- 75 Ohm Terminator
- Nickel Plated Solid Brass
- Carbon Film Resistor
- Tolerance: 2%, 1/8 W
- Return Loss: 25 dB